

Ejnar Hertzprung Biography

Ejnar Hertzprung

The following sections of this BookRags Literature Study Guide is offprint from Gale's For Students Series: Presenting Analysis, Context, and Criticism on Commonly Studied Works: Introduction, Author Biography, Plot Summary, Characters, Themes, Style, Historical Context, Critical Overview, Criticism and Critical Essays, Media Adaptations, Topics for Further Study, Compare & Contrast, What Do I Read Next?, For Further Study, and Sources.

(c)1998-2002; (c)2002 by Gale. Gale is an imprint of The Gale Group, Inc., a division of Thomson Learning, Inc. Gale and Design and Thomson Learning are trademarks used herein under license.

The following sections, if they exist, are offprint from Beacham's Encyclopedia of Popular Fiction: "Social Concerns", "Thematic Overview", "Techniques", "Literary Precedents", "Key Questions", "Related Titles", "Adaptations", "Related Web Sites". (c)1994-2005, by Walton Beacham.

The following sections, if they exist, are offprint from Beacham's Guide to Literature for Young Adults: "About the Author", "Overview", "Setting", "Literary Qualities", "Social Sensitivity", "Topics for Discussion", "Ideas for Reports and Papers". (c)1994-2005, by Walton Beacham.

All other sections in this Literature Study Guide are owned and copyrighted by BookRags, Inc.



Contents

[Ejnar Hertzprung Biography.....](#)1

[Contents.....](#)2

[Biography.....](#)3

Biography

Born in Frederiksberg, Denmark on October 8, 1873, Hertzsprung was trained as a chemical engineer, but he was also an amateur astronomer and so impressed Karl Schwarzschild (1877-1916) with his knowledge that Schwarzschild offered him a professorship in Göttingen, Germany in 1909.

Hertzsprung thought there should be a standard by which the brightness of stars could be compared. A given star might be very luminous but appear dim to observers on the earth because of its distance. Likewise, a dim star might appear bright because it is closer. If all stars could be placed at exactly the same distance, their relative luminosity would be readily apparent.

In 1905, Hertzsprung set up a standard that he called the "absolute magnitude" of a star, defining the quantity as what a star's brightness would be at a distance of ten parsecs from the earth (one parsec is equivalent to 3.26 light-years). Once he had determined the intrinsic brightness of a number of stars, it became apparent to him that there was a relationship between a star's color and its luminosity. He found that red stars, generally, are not as bright as blue stars, while yellow stars fall somewhere between the two. Furthermore, since the color of a star is related to its temperature, Hertzsprung concluded that a star's temperature and brightness were correlated. But he published his findings in a journal of photography and timidly kept his diagrams to himself.

Nearly ten years passed before Hertzsprung's important contribution was finally recognized, when American astronomer Henry Norris Russell independently came to the same conclusions. Today the graph depicting the relationship between luminosity and temperature is called the Hertzsprung-Russell diagram. The diagram has played an important role in providing clues to astronomers about stellar evolution.

In 1913 Hertzsprung began another important line of research. With the help of Henrietta Leavitt, he found a method to determine the distances to Cepheid variable stars. Their exploration of this Cepheid "yardstick" led Hertzsprung to make the first credible estimate for the distance of an extragalactic object--the Small Magellanic Cloud. Their method, in turn, was used by Harlow Shapley to determine the size and dimensions of our galaxy, as well as to conclude that spiral nebulas are actually distant galactic systems.

Hertzsprung became director of the observatory at Leiden, Germany in 1935 and retired ten years later. He died in Denmark on October 21, 1967, at the age of 94.