

# Friedrich Kekulé Encyclopedia Article

## Friedrich Kekulé

The following sections of this BookRags Literature Study Guide is offprint from Gale's For Students Series: Presenting Analysis, Context, and Criticism on Commonly Studied Works: Introduction, Author Biography, Plot Summary, Characters, Themes, Style, Historical Context, Critical Overview, Criticism and Critical Essays, Media Adaptations, Topics for Further Study, Compare & Contrast, What Do I Read Next?, For Further Study, and Sources.

(c)1998-2002; (c)2002 by Gale. Gale is an imprint of The Gale Group, Inc., a division of Thomson Learning, Inc. Gale and Design and Thomson Learning are trademarks used herein under license.

The following sections, if they exist, are offprint from Beacham's Encyclopedia of Popular Fiction: "Social Concerns", "Thematic Overview", "Techniques", "Literary Precedents", "Key Questions", "Related Titles", "Adaptations", "Related Web Sites". (c)1994-2005, by Walton Beacham.

The following sections, if they exist, are offprint from Beacham's Guide to Literature for Young Adults: "About the Author", "Overview", "Setting", "Literary Qualities", "Social Sensitivity", "Topics for Discussion", "Ideas for Reports and Papers". (c)1994-2005, by Walton Beacham.

All other sections in this Literature Study Guide are owned and copyrighted by BookRags, Inc.

# Contents

<a href="#">Friedrich Kekulé Encyclopedia Article.....</a>	<a href="#">1</a>
<a href="#">Contents.....</a>	<a href="#">2</a>
<a href="#">Friedrich Kekulé.....</a>	<a href="#">3</a>



# Friedrich Kekulé

**1829-1896**

German organic chemist who contributed to an understanding of the structure of molecules by the use of the concept of valence. Kekulé believed that each element had a fixed number of other atoms that it could combine with. This led to the development of structural formulas showing the way in which atoms are actually bonded to each other. Kekulé's most important contribution was his explanation of the unusual properties of benzene in 1865, in which he proposed that benzene existed as a ring of six carbon atoms with alternating single and double bonds.